

SEVERN
TRENT
SERVICES

STL Los Angeles
1721 South Grand Avenue
Santa Ana, CA 92705-4808

February 13, 2001

STL LOT NUMBER: E1B060243
PO/CONTRACT: 05160-SEV002

Tel: 714 258 8610
Fax: 714 258 0921
www.stl-inc.com

Rus Purcell
Kennedy/Jenks Consultants
2151 Michelson Drive
Suite 100
Irvine, CA 92612

Dear Mr. Purcell,

This report contains the analytical results for the 26 samples received under chain of custody by STL Los Angeles on February 6, 2001. These samples are associated with your Boeing Parcel C; C-6(Torrance) project.

All applicable quality control procedures meet method-specified acceptance. See Project Receipt Checklist for container temperature and conditions. Temperature reading beyond 2 to 6 degrees Celsius is considered not within acceptable criteria unless otherwise noted such as limited transit time from field and test requested. Any matrix related anomaly is footnoted within the report.

STL Los Angeles certifies that the test results provided in this report meet all the requirements of NELAC. This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions, please feel free to call me at 714-258-8610.

Sincerely,



Diane Suzuki
Project Manager

cc: Project File

This report contains **000091** pages.



SEVERN TRENT LABORATORIES

Committed To Your Success

No. 202644

CHAIN OF CUSTODY RECORD

CUSTOMER INFORMATION		PROJECT INFORMATION		ANALYSIS/METHOD REQUEST				NUMBER OF CONTAINERS		REMARKS/PRECAUTIONS	
COMPANY: <i>Kennedy Jenkins</i>	SEND REPORT TO: <i>Jay King lot</i>	PROJECT NAME/NUMBER: <i>240320/</i>	BILLING INFORMATION	<i>2/6/01</i>				PONO.: <i>18</i>	AIRBILL NO.: <i>18-58260</i>		
ADDRESS: <i>2150 Michelson Dr. Ste 101</i> <i>Irvine, CA 92617</i>	ADDRESS:	PHONE: <i>949-261-1577</i>	FAX: <i></i>	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.			
				<i>2/6/01</i>	<i>7:40</i>	<i>Sc. 1</i>	<i>SS</i>	<i>TGS</i>			
				<i>11 - 10'</i>	<i>7:50</i>	<i>Sc. 1</i>	<i>/</i>	<i>/</i>			
				<i>11 - 15'</i>	<i>8:00</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 20'</i>	<i>8:05</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 30'</i>	<i>8:10</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 40'</i>	<i>8:20</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 50'</i>	<i>8:25</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 60'</i>	<i>8:30</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>PD21-S'</i>	<i>9:15</i>	<i>/</i>	<i>/</i>	<i>/</i>			
				<i>11 - 10'</i>	<i>9:20</i>	<i>Sc. 1</i>	<i>SS</i>	<i>TGS</i>	<i>18</i>		
SAMPLER: <i>Tim</i>		SHIPMENT METHOD:									
REQUIRED TURNAROUND*		<input type="checkbox"/> SAME DAY	<input type="checkbox"/> 24 HOURS	<input type="checkbox"/> 48 HOURS	<input type="checkbox"/> 72 HOURS	<input type="checkbox"/> 5 DAYS	<input type="checkbox"/> 10 DAYS	<input type="checkbox"/> ROUTINE	<input type="checkbox"/> OTHER		
1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE						
SIGNATURE: <i>Tim Jenkins</i>	<i>2/6/01</i>	SIGNATURE: <i>John</i>	<i>2/6/01</i>	SIGNATURE: <i>John</i>	<i>2/6/01</i>						
PRINTED NAME/COMPANY: <i>Tim Jenkins</i>	TIME	PRINTED NAME/COMPANY: <i>John</i>	TIME	PRINTED NAME/COMPANY: <i>John</i>	TIME						
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE						
SIGNATURE: <i>John</i>	<i>2-6-01</i>	SIGNATURE: <i>John</i>	<i>2-6-01</i>	SIGNATURE: <i>John</i>	<i>2-6-01</i>						
PRINTED NAME/COMPANY: <i>John</i>	TIME	PRINTED NAME/COMPANY: <i>John</i>	TIME	PRINTED NAME/COMPANY: <i>John</i>	TIME						

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

000002

BOE-C6-0153286

SEVERN TRENT LABORATORIES1721 South Grand Avenue
Santa Ana, CA 92705

Phone: (714) 258-8610 / Fax: (714) 258-0921

SEVERN TRENT
LABORATORIES, INC.
STANDARD TERMS
AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- \$1,000,000 each occurrence \$2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- \$1,000,000 each occurrence. (c) Workman's Compensation- \$500,000 each occurrence and \$500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is

based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.



Committed To Your Success

SEVERN TRENT LABORATORIES

CHAIN OF CUSTODY RECORD

No. 202645

CUSTOMER INFORMATION

COMPANY: Kennedy Tanks
 SEND REPORT TO: Troy Knight
 ADDRESS: 2150 Michelson Dr Ste 102
Trvine, CA 92707

PHONE: 949.261-1511
 FAX:
 BILLING INFORMATION
 PHONE:
 FAX:

PROJECT INFORMATION

PROJECT NAME/NUMBER:

ANALYSIS / METHOD

8260 LDC's

REQUESTS / METHODS

8260 LDC's

NUMBER OF CONTAINERS

1

SHIPPING METHOD:

X

AIRBILL NO.:**REMARKS/PRECAUTIONS****SEVERN TRENT LABORATORIES**

1721 South Grand Avenue
 Santa Ana, CA 92705

Phone: (714) 258-8610 / Fax: (714) 258-0921

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	REMARKS/PRECAUTIONS	
PD21-15		2/6/01	9:25	Soil	SS	TC6	X	
11 - 20			9:30		/	/		
11 - 30			9:35		/	/		
11 - 40			9:40		/	/		
11 - 50			9:45		/	/		
11 - 60			9:50		/	/		
PD22-5			10:20		/	/		
11 - 10			10:25		/	/		
11 - 15			10:30		/	/		
11 - 20		2/6/01	10:35	Soil	SS	TC6	X	
SAMPLER: <u>Trix</u>	SHIPMENT METHOD:							
REQUIRED TURNAROUND*	<input type="checkbox"/> SAME DAY	<input type="checkbox"/> 24 HOURS	<input type="checkbox"/> 48 HOURS	<input type="checkbox"/> 72 HOURS	<input type="checkbox"/> 5 DAYS	<input type="checkbox"/> 10 DAYS	<input type="checkbox"/> ROUTINE	<input type="checkbox"/> OTHER
1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:
SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>
PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE	3. RECEIVED BY:
SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>	2/6/01	SIGNATURE: <u>Troy Knight</u>
PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>	TIME <u>10:00</u>	PRINTED NAME/COMPANY: <u>TRENT TREN</u>

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

000003

BOE-C6-0153288

SEVERN TRENT
LABORATORIES, INC.
STANDARD TERMS
AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- \$1,000,000 each occurrence \$2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- \$1,000,000 each occurrence. (c) Workman's Compensation- \$500,000 each occurrence and \$500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is

based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.



Committed To Your Success

SEVERN TRENT LABORATORIES

CHAIN OF CUSTODY RECORD

No. 202646

CUSTOMER INFORMATION		PROJECT INFORMATION							
COMPANY:	Kennedy Tanks	PROJECT NAME/NUMBER:	054032001						
SEND REPORT TO:	Jay Knight	BILLING INFORMATION							
ADDRESS:	2151 Michaels Dr St 100	BILL TO:							
Trvine, CA 92607		ADDRESS:							
PHONE:	949-261-1577	PHONE:							
FAX:		FAX:							
PONO:									
SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	REMARKS/PRECAUTIONS		
FB 22-30		2/6/01	10:40	501	SS	TCB	1 X		
-40			10:45	/	SS	TCB			
-50			10:55	/	SS	TCB			
-60			11:05	501	SS	TCB			
Trip Bank			12:00	W1	Vba	HCC			
Rustate		2/6/01	12:00	W1	Vba	HCC	1 X		
SHIPMENT METHOD:						AIRBILL NO.:			
REQUIRED TURNAROUND*		<input type="checkbox"/> SAME DAY	<input type="checkbox"/> 24 HOURS	<input type="checkbox"/> 48 HOURS	<input type="checkbox"/> 72 HOURS	<input type="checkbox"/> 5 DAYS	<input type="checkbox"/> 10 DAYS	<input type="checkbox"/> ROUTINE	<input type="checkbox"/> OTHER
1. REINQUISITIONED BY:	DATE	2. REINQUISITIONED BY:	DATE	3. RELINQUISHED BY:	DATE	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:
SIGNATURE: <i>Liz Dogan</i>	2/6/01	SIGNATURE: <i>Liz Dogan</i>	2/6/01	SIGNATURE: <i>Liz Dogan</i>	2/6/01	TIME <i>1:45P</i>	TIME <i>2:55P</i>	TIME <i>2:55P</i>	TIME <i>2:55P</i>
PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>1:45P</i>	PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>2:55P</i>	PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>2:55P</i>				
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:	PRINTED NAME/COMPANY:
SIGNATURE: <i>John Goffman</i>	2-6-01	SIGNATURE: <i>John Goffman</i>	2-6-01	SIGNATURE: <i>John Goffman</i>	2-6-01	TIME <i>1:45P</i>	TIME <i>2:55P</i>	TIME <i>2:55P</i>	TIME <i>2:55P</i>
PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>1:45P</i>	PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>2:55P</i>	PRINTED NAME/COMPANY: <i>STL</i>	TIME <i>2:55P</i>				

000004

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

SEVERN TRENT LABORATORIES

1721 South Grand Avenue
Santa Ana, CA 92705

Phone: (714) 258-8610 / Fax: (714) 258-0921

SEVERN TRENT
LABORATORIES, INC.
STANDARD TERMS
AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- \$1,000,000 each occurrence \$2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- \$1,000,000 each occurrence. (c) Workman's Compensation- \$500,000 each occurrence and \$500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is

based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.

STL - LOS ANGELES
PROJECT RECEIPT CHECKLIST

Date: 02/06/01

Quantim's Lot #: E1B 060243

Quote #: 38629

Client Name: Kathy Jenkins

Project:

Received by: Picciotto

Date/Time Received: 02/06/01 14:57

Delivered by : Client Airborne Fed Ex
 UPS DES Other

DHL Ultra-Ex Rey B.

Initial / Date

AP 02/06/01

Custody Seal Status: Intact Broken None

Custody Seal #s: No Seal #

Sample Container(s): STL-LA Client N/A

Temperature(s) (COOLER/BLANK) in °C: 20°C (CORRECTED TEMP)

Thermometer Used: IR (Infra-red) Digital (Probe)

Samples: Intact Broken Other

Anomalies: No Yes (See Clouseau)

Labeled by: AR

Labeling checked by: AB

Turn Around Time: RUSH-24HR RUSH-48HR RUSH-72HR NORMAL

Short-Hold Notification: Ph Wet Chem Metals (Filter/Pres) Encore N/A

Outside Analysis(es) (Test/Lab/Date Sent Out): none

***** LEAVE NO BLANK SPACES ; USE N/A *****

Fraction	<u>1-24</u>	<u>25/76</u>											PH
VOA#		<u>1</u>											N/A
Sleeves	<u>1</u>												

I: HCl 8: Sodium Hydroxide 9: Zinc Acetate/Sodium Hydroxide 10: H2SO4 11: HNO3 12: HNO3-Field Shaded 13: HNO3-Lab Shaded
 CGI: Clear Glass Jar CGB: Clear Glass Bottle AGI: Amber Glass Jar AGB: Amber Glass Bottle PB: Poly Bottle E-Sieve Sampler V: VOA

* Number of VOA's w/ Headspace present

LOGGED BY/DATE: D. Picciotto 02/06/01 REVIEWED BY/DATE: J. J.
RENC Ver. 5 050000 L/PF

000005

BOE-C6-0153292

EXECUTIVE SUMMARY - Detection Highlights

E1B060243

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
PD22-60' 02/06/01 11:05 024				
1,1-Dichloroethene	100	25	ug/kg	SW846 8260B
1,1-Dichloroethane	36	25	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	19 J	25	ug/kg	SW846 8260B
Chloroform	5.1 J	25	ug/kg	SW846 8260B
1,1,1-Trichloroethane	89	25	ug/kg	SW846 8260B
Benzene	14 J	25	ug/kg	SW846 8260B
Trichloroethene	84	25	ug/kg	SW846 8260B
4-Methyl-2-pentanone	5000	120	ug/kg	SW846 8260B
Toluene	1600	25	ug/kg	SW846 8260B

000009

EXECUTIVE SUMMARY - Detection Highlights

E1B060243

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
PD21-60' 02/06/01 09:50 016				
4-Methyl-2-pentanone	140	120	ug/kg	SW846 8260B
Toluene	460	25	ug/kg	SW846 8260B
PD22-5' 02/06/01 10:20 017				
1,1-Dichloroethene	19	5.0	ug/kg	SW846 8260B
Trichloroethene	15	5.0	ug/kg	SW846 8260B
PD22-10' 02/06/01 10:25 018				
1,1-Dichloroethene	8.3	5.0	ug/kg	SW846 8260B
Trichloroethene	9.8	5.0	ug/kg	SW846 8260B
PD22-20' 02/06/01 10:35 020				
1,1-Dichloroethene	6.0	5.0	ug/kg	SW846 8260B
Trichloroethene	13	5.0	ug/kg	SW846 8260B
PD22-30' 02/06/01 10:40 021				
Trichloroethene	2.0 J	5.0	ug/kg	SW846 8260B
PD22-40' 02/06/01 10:45 022				
1,1-Dichloroethene	390	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	15	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	45	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	15	5.0	ug/kg	SW846 8260B
Chloroform	16	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	71	5.0	ug/kg	SW846 8260B
Benzene	2.5 J	5.0	ug/kg	SW846 8260B
Trichloroethene	350	5.0	ug/kg	SW846 8260B
PD22-50' 02/06/01 10:55 023				
1,1-Dichloroethene	190	25	ug/kg	SW846 8260B
1,1-Dichloroethane	36	25	ug/kg	SW846 8260B
Chloroform	7.8 J	25	ug/kg	SW846 8260B
1,1,1-Trichloroethane	360	25	ug/kg	SW846 8260B
Trichloroethene	110	25	ug/kg	SW846 8260B
Toluene	470	25	ug/kg	SW846 8260B

(Continued on next page)

000008

EXECUTIVE SUMMARY - Detection Highlights

E1B060243

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
PD21-5' 02/06/01 09:15 009				
1,1-Dichloroethene	6.0	5.0	ug/kg	SW846 8260B
Trichloroethene	5.8	5.0	ug/kg	SW846 8260B
PD21-10' 02/06/01 09:20 010				
1,1-Dichloroethene	4.0 J	5.0	ug/kg	SW846 8260B
Trichloroethene	5.5	5.0	ug/kg	SW846 8260B
PD21-20' 02/06/01 09:30 012				
Trichloroethene	4.1 J	5.0	ug/kg	SW846 8260B
PD21-30' 02/06/01 09:35 013				
1,1-Dichloroethene	4.1 J	5.0	ug/kg	SW846 8260B
Trichloroethene	8.0	5.0	ug/kg	SW846 8260B
PD21-40' 02/06/01 09:40 014				
1,1-Dichloroethene	230	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	8.4	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	16	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	5.9	5.0	ug/kg	SW846 8260B
Chloroform	7.1	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	58	5.0	ug/kg	SW846 8260B
Trichloroethene	200	5.0	ug/kg	SW846 8260B
PD21-50' 02/06/01 09:45 015				
1,1-Dichloroethene	25	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	17	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	2.3 J	5.0	ug/kg	SW846 8260B
Chloroform	4.8 J	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	280	5.0	ug/kg	SW846 8260B
Trichloroethene	29	5.0	ug/kg	SW846 8260B
Toluene	79	5.0	ug/kg	SW846 8260B
PD21-60' 02/06/01 09:50 016				
1,1-Dichloroethene	110	25	ug/kg	SW846 8260B
1,1-Dichloroethane	17 J	25	ug/kg	SW846 8260B
1,1,1-Trichloroethane	120	25	ug/kg	SW846 8260B
Trichloroethene	60	25	ug/kg	SW846 8260B

(Continued on next page)

000007

EXECUTIVE SUMMARY - Detection Highlights

E1B060243

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
PD20-10' 02/06/01 07:50 002				
1,1-Dichloroethene	30	5.0	ug/kg	SW846 8260B
Trichloroethene	18	5.0	ug/kg	SW846 8260B
PD20-20' 02/06/01 08:05 004				
1,1-Dichloroethene	30	5.0	ug/kg	SW846 8260B
Trichloroethene	19	5.0	ug/kg	SW846 8260B
PD20-30' 02/06/01 08:10 005				
1,1-Dichloroethene	14	5.0	ug/kg	SW846 8260B
Trichloroethene	14	5.0	ug/kg	SW846 8260B
PD20-40' 02/06/01 08:20 006				
1,1-Dichloroethene	230	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	7.3	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	4.1 J	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	2.7 J	5.0	ug/kg	SW846 8260B
Chloroform	3.1 J	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	4.5 J	5.0	ug/kg	SW846 8260B
Trichloroethene	170	5.0	ug/kg	SW846 8260B
PD20-50' 02/06/01 08:25 007				
1,1-Dichloroethene	330	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	11	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	8.0	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	3.5 J	5.0	ug/kg	SW846 8260B
Chloroform	4.9 J	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	22	5.0	ug/kg	SW846 8260B
Trichloroethene	200	5.0	ug/kg	SW846 8260B
PD20-60' 02/06/01 08:30 008				
1,1-Dichloroethene	29	25	ug/kg	SW846 8260B
1,1,1-Trichloroethane	63	25	ug/kg	SW846 8260B
Trichloroethene	12 J	25	ug/kg	SW846 8260B
Toluene	31	25	ug/kg	SW846 8260B

(Continued on next page)

000006

METHODS SUMMARY

E1B060243

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>	<u>PREPARATION METHOD</u>
Volatile Organics by GC/MS	SW846 8260B	SW846 5030
Volatile Organics by GC/MS	SW846 8260B	SW846 5030B/826

References:

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

000010

SAMPLE SUMMARY

E1B060243

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
DVM7K	001	PD20-7'	02/06/01	07:40
DVM8W	002	PD20-10'	02/06/01	07:50
DVM82	003	PD20-15'	02/06/01	08:00
DVM86	004	PD20-20'	02/06/01	08:05
DVM88	005	PD20-30'	02/06/01	08:10
DVM9C	006	PD20-40'	02/06/01	08:20
DVM9F	007	PD20-50'	02/06/01	08:25
DVM9G	008	PD20-60'	02/06/01	08:30
DVM9H	009	PD21-5'	02/06/01	09:15
DVM9P	010	PD21-10'	02/06/01	09:20
DVM9W	011	PD21-15'	02/06/01	09:25
DVM9X	012	PD21-20'	02/06/01	09:30
DVM92	013	PD21-30'	02/06/01	09:35
DVM96	014	PD21-40'	02/06/01	09:40
DVM97	015	PD21-50'	02/06/01	09:45
DVM98	016	PD21-60'	02/06/01	09:50
DVM99	017	PD22-5'	02/06/01	10:20
DVNAC	018	PD22-10'	02/06/01	10:25
DVNAD	019	PD22-15'	02/06/01	10:30
DVNAE	020	PD22-20'	02/06/01	10:35
DVNAF	021	PD22-30'	02/06/01	10:40
DVNAG	022	PD22-40'	02/06/01	10:45
DVNAH	023	PD22-50'	02/06/01	10:55
DVN AJ	024	PD22-60'	02/06/01	11:05
DVN AK	025	TRIP BLANK	02/06/01	12:00
DVN AL	026	RINSATE	02/06/01	12:00

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

000011

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-7'

GC/MS Volatiles

Lot-Sample #....: E1B060243-001 Work Order #....: DVM7K1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 07:40 Date Received...: 02/06/01 14:55 MS Run #.....: 1039091
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 18:14
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000012

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-7'

GC/MS Volatiles

Lot-Sample #....: E1B060243-001 Work Order #....: DVM7K1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	82	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000013

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-002 Work Order #....: DVM8W1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 07:50 Date Received...: 02/06/01 14:55 MS Run #.....: 1039091
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 18:44
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	30	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	18	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000014

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-002 Work Order #....: DVM8W1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	86	(60 - 140)		
Toluene-d8	86	(70 - 130)		

000015

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-003 Work Order #....: DVM821AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:00 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 09:12
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000016

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-003 Work Order #....: DVM821AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>		
		(70 - 130)	(60 - 140)	(70 - 130)
Bromofluorobenzene	92			
1,2-Dichloroethane-d4	91			
Toluene-d8	88			

000017

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-20'

GC/MS Volatiles

Lot-Sample #....: E1B060243-004 Work Order #....: DVM861AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:05 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 09:43
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	30	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	19	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000018

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-20'

GC/MS Volatiles

Lot-Sample #...: E1B060243-004 Work Order #...: DVM861AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-				
propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-				
benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	<u>LIMITS</u>
Bromofluorobenzene	93		(70 - 130)	
1,2-Dichloroethane-d4	93		(60 - 140)	
Toluene-d8	90		(70 - 130)	

000019

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-30'

GC/MS Volatiles

Lot-Sample #....: E1B060243-005 Work Order #....: DVM881AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:10 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time..: 10:13
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	14	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	14	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000020

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-30'

GC/MS Volatiles

Lot-Sample #...: E1B060243-005 Work Order #...: DVM881AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	RECOVERY LIMITS		
		(70 - 130)		
Bromofluorobenzene	94			
1,2-Dichloroethane-d4	99	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000021

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-40'

GC/MS Volatiles

Lot-Sample #....: E1B060243-006 Work Order #....: DVM9C1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:20 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 10:44
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	230	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	7.3	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	4.1 J	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	2.7 J	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	3.1 J	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	4.5 J	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	170	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000022

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-40'

GC/MS Volatiles

Lot-Sample #...: E1B060243-006 Work Order #...: DVM9C1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	RECOVERY		
		<u>LIMITS</u>		
Bromofluorobenzene	93	(70 - 130)		
1,2-Dichloroethane-d4	101	(60 - 140)		
Toluene-d8	90	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000023

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-50'

GC/MS Volatiles

Lot-Sample #....: E1B060243-007 Work Order #....: DVM9F1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:25 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 11:15
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	330	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	11	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	8.0	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	3.5 J	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	4.9 J	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	22	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	200	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000024

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-50'

GC/MS Volatiles

Lot-Sample #....: E1B060243-007 Work Order #....: DVM9F1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-				
propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-				
benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene		92	(70 - 130)	
1,2-Dichloroethane-d4		103	(60 - 140)	
Toluene-d8		88	(70 - 130)	

NOTE(S) :

J Estimated result. Result is less than RL.

000025

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-60'

GC/MS Volatiles

Lot-Sample #....: E1B060243-008 Work Order #....: DVM9G1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 08:30 Date Received...: 02/06/01 14:55 MS Run #.....: 1039091
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 19:46
 Dilution Factor: 5
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	50	ug/kg	5.0
Chloromethane	ND	50	ug/kg	15
Vinyl chloride	ND	50	ug/kg	10
Bromomethane	ND	50	ug/kg	10
Chloroethane	ND	50	ug/kg	10
Trichlorofluoromethane	ND	50	ug/kg	10
Acrolein	ND	500	ug/kg	150
1,1-Dichloroethene	29	25	ug/kg	10
Iodomethane	ND	50	ug/kg	25
Acetone	ND	120	ug/kg	75
Carbon disulfide	ND	25	ug/kg	10
Methylene chloride	ND	25	ug/kg	15
trans-1,2-Dichloroethene	ND	25	ug/kg	10
Acrylonitrile	ND	250	ug/kg	150
Methyl tert-butyl ether	ND	25	ug/kg	5.0
1,1-Dichloroethane	ND	25	ug/kg	5.0
Vinyl acetate	ND	50	ug/kg	25
2,2-Dichloropropane	ND	25	ug/kg	10
cis-1,2-Dichloroethene	ND	25	ug/kg	10
2-Butanone	ND	120	ug/kg	75
Bromochloromethane	ND	25	ug/kg	5.0
Chloroform	ND	25	ug/kg	5.0
Tetrahydrofuran	ND	100	ug/kg	50
1,1,1-Trichloroethane	63	25	ug/kg	5.0
1,1-Dichloropropene	ND	25	ug/kg	5.0
Carbon tetrachloride	ND	25	ug/kg	5.0
Benzene	ND	25	ug/kg	10
1,2-Dichloroethane	ND	25	ug/kg	5.0
Trichloroethene	12 J	25	ug/kg	10
1,2-Dichloropropane	ND	25	ug/kg	5.0
Bromodichloromethane	ND	25	ug/kg	5.0
2-Chloroethyl vinyl ether	ND	50	ug/kg	25
cis-1,3-Dichloropropene	ND	25	ug/kg	5.0
4-Methyl-2-pentanone	ND	120	ug/kg	50
Toluene	31	25	ug/kg	10
trans-1,3-Dichloropropene	ND	25	ug/kg	15
1,1,2-Trichloroethane	ND	25	ug/kg	15

(Continued on next page)

000026

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD20-60'

GC/MS Volatiles

Lot-Sample #...: E1B060243-008 Work Order #...: DVM9G1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	25	ug/kg	10
2-Hexanone	ND	120	ug/kg	50
Dibromochloromethane	ND	25	ug/kg	25
1,2-Dibromoethane	ND	25	ug/kg	15
Chlorobenzene	ND	25	ug/kg	10
Ethylbenzene	ND	25	ug/kg	10
Xylenes (total)	ND	25	ug/kg	15
Styrene	ND	50	ug/kg	10
Bromoform	ND	25	ug/kg	15
Isopropylbenzene	ND	25	ug/kg	10
p-Isopropyltoluene	ND	25	ug/kg	10
Bromobenzene	ND	25	ug/kg	10
1,1,1,2-Tetrachloroethane	ND	25	ug/kg	15
1,1,2,2-Tetrachloroethane	ND	25	ug/kg	15
1,2,3-Trichloropropane	ND	25	ug/kg	15
n-Propylbenzene	ND	25	ug/kg	10
2-Chlorotoluene	ND	25	ug/kg	10
4-Chlorotoluene	ND	25	ug/kg	10
1,3,5-Trimethylbenzene	ND	25	ug/kg	10
tert-Butylbenzene	ND	25	ug/kg	10
1,2,4-Trimethylbenzene	ND	25	ug/kg	10
sec-Butylbenzene	ND	25	ug/kg	10
1,3-Dichlorobenzene	ND	25	ug/kg	10
1,4-Dichlorobenzene	ND	25	ug/kg	10
1,2-Dichlorobenzene	ND	25	ug/kg	10
n-Butylbenzene	ND	25	ug/kg	10
1,2-Dibromo-3-chloro-propane	ND	50	ug/kg	15
1,2,4-Trichloro-benzene	ND	25	ug/kg	10
Hexachlorobutadiene	ND	25	ug/kg	10
1,2,3-Trichlorobenzene	ND	25	ug/kg	10
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	90	(60 - 140)		
Toluene-d8	87	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000027

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-5'

GC/MS Volatiles

Lot-Sample #....: E1B060243-009 Work Order #....: DVM9H1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:15 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time..: 15:20
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	6.0	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	5.8	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000028

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-5'

GC/MS Volatiles

Lot-Sample #....: E1B060243-009 Work Order #....: DVM9H1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>		
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	104	(60 - 140)		
Toluene-d8	88	(70 - 130)		

000029

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-010 Work Order #....: DVM9P1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:20 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time..: 15:51
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	4.0 J	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromoform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	5.5	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000030

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-010 Work Order #....: DVM9P1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>RECOVERY</u>	RECOVERY		
		<u>LIMITS</u>		
Bromofluorobenzene	91	(70 - 130)		
1,2-Dichloroethane-d4	106	(60 - 140)		
Toluene-d8	87	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000031

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-011 Work Order #....: DVM9W1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:25 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 16:22
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000032

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-011 Work Order #....: DVM9W1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	91	(70 - 130)		
1,2-Dichloroethane-d4	110	(60 - 140)		
Toluene-d8	85	(70 - 130)		

000033

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-20'

GC/MS Volatiles

Lot-Sample #....: E1B060243-012 Work Order #....: DVM9X1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:30 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 16:52
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	4.1 J	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000034

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-20'

GC/MS Volatiles

Lot-Sample #....: E1B060243-012 Work Order #....: DVM9X1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	91	(70 - 130)		
1,2-Dichloroethane-d4	110	(60 - 140)		
Toluene-d8	82	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000035

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-30'

GC/MS Volatiles

Lot-Sample #....: E1B060243-013 Work Order #....: DVM921AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:35 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 17:23
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	4.1 J	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	8.0	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000036

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-30'

GC/MS Volatiles

Lot-Sample #...: E1B060243-013 Work Order #...: DVM921AA Matrix.....: SOLID

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
SURROGATE	RECOVERY	RECOVERY		
		LIMITS		
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	109	(60 - 140)		
Toluene-d8	86	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000037

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-40'

GC/MS Volatiles

Lot-Sample #....: E1B060243-014 Work Order #....: DVM961AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:40 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time..: 17:54
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID.: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	230	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	8.4	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	16	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	5.9	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	7.1	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	58	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	200	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000038

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-40'

GC/MS Volatiles

Lot-Sample #....: E1B060243-014 Work Order #....: DVM961AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	109	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000039

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-50'

GC/MS Volatiles

Lot-Sample #....: E1B060243-015 Work Order #....: DVM971AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:45 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 18:24
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	25	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	17	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	2.3 J	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	4.8 J	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	280	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	29	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	79	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000040

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-50'

GC/MS Volatiles

Lot-Sample #...: E1B060243-015 Work Order #...: DVM971AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	109	(60 - 140)		
Toluene-d8	85	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000041

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-60'

GC/MS Volatiles

Lot-Sample #....: E1B060243-016 Work Order #....: DVM981AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 09:50 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 18:55
 Dilution Factor: 5
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Dichlorodifluoromethane	ND	50	ug/kg	5.0
Chloromethane	ND	50	ug/kg	15
Vinyl chloride	ND	50	ug/kg	10
Bromomethane	ND	50	ug/kg	10
Chloroethane	ND	50	ug/kg	10
Trichlorofluoromethane	ND	50	ug/kg	10
Acrolein	ND	500	ug/kg	150
1,1-Dichloroethene	110	25	ug/kg	10
Iodomethane	ND	50	ug/kg	25
Acetone	ND	120	ug/kg	75
Carbon disulfide	ND	25	ug/kg	10
Methylene chloride	ND	25	ug/kg	15
trans-1,2-Dichloroethene	ND	25	ug/kg	10
Acrylonitrile	ND	250	ug/kg	150
Methyl tert-butyl ether	ND	25	ug/kg	5.0
1,1-Dichloroethane	17 J	25	ug/kg	5.0
Vinyl acetate	ND	50	ug/kg	25
2,2-Dichloropropane	ND	25	ug/kg	10
cis-1,2-Dichloroethene	ND	25	ug/kg	10
2-Butanone	ND	120	ug/kg	75
Bromochloromethane	ND	25	ug/kg	5.0
Chloroform	ND	25	ug/kg	5.0
Tetrahydrofuran	ND	100	ug/kg	50
1,1,1-Trichloroethane	120	25	ug/kg	5.0
1,1-Dichloropropene	ND	25	ug/kg	5.0
Carbon tetrachloride	ND	25	ug/kg	5.0
Benzene	ND	25	ug/kg	10
1,2-Dichloroethane	ND	25	ug/kg	5.0
Trichloroethene	60	25	ug/kg	10
1,2-Dichloropropane	ND	25	ug/kg	5.0
Bromodichloromethane	ND	25	ug/kg	5.0
2-Chloroethyl vinyl ether	ND	50	ug/kg	25
cis-1,3-Dichloropropene	ND	25	ug/kg	5.0
4-Methyl-2-pentanone	140	120	ug/kg	50
Toluene	460	25	ug/kg	10
trans-1,3-Dichloropropene	ND	25	ug/kg	15
1,1,2-Trichloroethane	ND	25	ug/kg	15

(Continued on next page)

000042

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD21-60'

GC/MS Volatiles

Lot-Sample #....: E1B060243-016 Work Order #....: DVM981AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	25	ug/kg	10
2-Hexanone	ND	120	ug/kg	50
Dibromochloromethane	ND	25	ug/kg	25
1,2-Dibromoethane	ND	25	ug/kg	15
Chlorobenzene	ND	25	ug/kg	10
Ethylbenzene	ND	25	ug/kg	10
Xylenes (total)	ND	25	ug/kg	15
Styrene	ND	50	ug/kg	10
Bromoform	ND	25	ug/kg	15
Isopropylbenzene	ND	25	ug/kg	10
p-Isopropyltoluene	ND	25	ug/kg	10
Bromobenzene	ND	25	ug/kg	10
1,1,1,2-Tetrachloroethane	ND	25	ug/kg	15
1,1,2,2-Tetrachloroethane	ND	25	ug/kg	15
1,2,3-Trichloropropane	ND	25	ug/kg	15
n-Propylbenzene	ND	25	ug/kg	10
2-Chlorotoluene	ND	25	ug/kg	10
4-Chlorotoluene	ND	25	ug/kg	10
1,3,5-Trimethylbenzene	ND	25	ug/kg	10
tert-Butylbenzene	ND	25	ug/kg	10
1,2,4-Trimethylbenzene	ND	25	ug/kg	10
sec-Butylbenzene	ND	25	ug/kg	10
1,3-Dichlorobenzene	ND	25	ug/kg	10
1,4-Dichlorobenzene	ND	25	ug/kg	10
1,2-Dichlorobenzene	ND	25	ug/kg	10
n-Butylbenzene	ND	25	ug/kg	10
1,2-Dibromo-3-chloro- propane	ND	50	ug/kg	15
1,2,4-Trichloro- benzene	ND	25	ug/kg	10
Hexachlorobutadiene	ND	25	ug/kg	10
1,2,3-Trichlorobenzene	ND	25	ug/kg	10
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	112	(60 - 140)		
Toluene-d8	85	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000043

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-5'

GC/MS Volatiles

Lot-Sample #....: E1B060243-017 Work Order #....: DVM991AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:20 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 20:25
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	19	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	15	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000044

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-5'

GC/MS Volatiles

Lot-Sample #....: E1B060243-017 Work Order #....: DVM991AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>	<u>RECOVERY</u>	RECOVERY		
		<u>LIMITS</u>		
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	97	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000045

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-018 Work Order #....: DVNAC1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:25 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time..: 20:56
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	8.3	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	9.8	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000046

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-10'

GC/MS Volatiles

Lot-Sample #....: E1B060243-018 Work Order #....: DVNAC1AA Matrix.....: SOLID

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS		
		(70 - 130)		
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	102	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000047

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-019 Work Order #....: DVNAD1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:30 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 21:26
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000048

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-15'

GC/MS Volatiles

Lot-Sample #....: E1B060243-019 Work Order #....: DVNAD1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	109	(60 - 140)		
Toluene-d8	86	(70 - 130)		

000049

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-20'

GC/MS Volatiles

Lot-Sample #....: E1B060243-020 Work Order #....: DVNAE1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:35 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 21:57
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	6.0	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	13	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000050

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-20'

GC/MS Volatiles

Lot-Sample #....: E1B060243-020 Work Order #....: DVNAE1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	90	(70 - 130)		
1,2-Dichloroethane-d4	110	(60 - 140)		
Toluene-d8	87	(70 - 130)		

000051

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-30'

GC/MS Volatiles

Lot-Sample #....: E1B060243-021 Work Order #....: DVNAF1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:40 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 22:28
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	2.0 J	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000052

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-30'

GC/MS Volatiles

Lot-Sample #....: E1B060243-021 Work Order #....: DVNAF1AA Matrix.....: SOLID

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro- propane	ND	10	ug/kg	3.0
1,2,4-Trichloro- benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		PERCENT RECOVERY	RECOVERY LIMITS	
Bromofluorobenzene	91	(70 - 130)		
1,2-Dichloroethane-d4	110	(60 - 140)		
Toluene-d8	87	(70 - 130)		

NOTE(S) :

J Estimated result. Result is less than RL.

000053

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-40'

GC/MS Volatiles

Lot-Sample #....: E1B060243-022 Work Order #....: DVNAG1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:45 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 22:58
 Dilution Factor: 1
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	390	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	15	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	45	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	15	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	16	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	71	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	2.5 J	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	350	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

000054

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-40

GC/MS Volatiles

Lot-Sample #....: E1B060243-022 Work Order #....: DVNAG1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-				
propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-				
benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	91		(70 - 130)	
1,2-Dichloroethane-d4	110		(60 - 140)	
Toluene-d8	84		(70 - 130)	

NOTE(S) :

J Estimated result. Result is less than RL.

000055

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-50'

GC/MS Volatiles

Lot-Sample #....: E1B060243-023 Work Order #....: DVNAH1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 10:55 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 23:29
 Dilution Factor: 5
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	50	ug/kg	5.0
Chloromethane	ND	50	ug/kg	15
Vinyl chloride	ND	50	ug/kg	10
Bromomethane	ND	50	ug/kg	10
Chloroethane	ND	50	ug/kg	10
Trichlorofluoromethane	ND	50	ug/kg	10
Acrolein	ND	500	ug/kg	150
1,1-Dichloroethene	190	25	ug/kg	10
Iodomethane	ND	50	ug/kg	25
Acetone	ND	120	ug/kg	75
Carbon disulfide	ND	25	ug/kg	10
Methylene chloride	ND	25	ug/kg	15
trans-1,2-Dichloroethene	ND	25	ug/kg	10
Acrylonitrile	ND	250	ug/kg	150
Methyl tert-butyl ether	ND	25	ug/kg	5.0
1,1-Dichloroethane	36	25	ug/kg	5.0
Vinyl acetate	ND	50	ug/kg	25
2,2-Dichloropropane	ND	25	ug/kg	10
cis-1,2-Dichloroethene	ND	25	ug/kg	10
2-Butanone	ND	120	ug/kg	75
Bromochloromethane	ND	25	ug/kg	5.0
Chloroform	7.8 J	25	ug/kg	5.0
Tetrahydrofuran	ND	100	ug/kg	50
1,1,1-Trichloroethane	360	25	ug/kg	5.0
1,1-Dichloropropene	ND	25	ug/kg	5.0
Carbon tetrachloride	ND	25	ug/kg	5.0
Benzene	ND	25	ug/kg	10
1,2-Dichloroethane	ND	25	ug/kg	5.0
Trichloroethene	110	25	ug/kg	10
1,2-Dichloropropane	ND	25	ug/kg	5.0
Bromodichloromethane	ND	25	ug/kg	5.0
2-Chloroethyl vinyl ether	ND	50	ug/kg	25
cis-1,3-Dichloropropene	ND	25	ug/kg	5.0
4-Methyl-2-pentanone	ND	120	ug/kg	50
Toluene	470	25	ug/kg	10
trans-1,3-Dichloropropene	ND	25	ug/kg	15
1,1,2-Trichloroethane	ND	25	ug/kg	15

(Continued on next page)

000056

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-50

GC/MS Volatiles

Lot-Sample #....: E1B060243-023 Work Order #....: DVNAH1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	25	ug/kg	10
2-Hexanone	ND	120	ug/kg	50
Dibromochloromethane	ND	25	ug/kg	25
1,2-Dibromoethane	ND	25	ug/kg	15
Chlorobenzene	ND	25	ug/kg	10
Ethylbenzene	ND	25	ug/kg	10
Xylenes (total)	ND	25	ug/kg	15
Styrene	ND	50	ug/kg	10
Bromoform	ND	25	ug/kg	15
Isopropylbenzene	ND	25	ug/kg	10
p-Isopropyltoluene	ND	25	ug/kg	10
Bromobenzene	ND	25	ug/kg	10
1,1,1,2-Tetrachloroethane	ND	25	ug/kg	15
1,1,2,2-Tetrachloroethane	ND	25	ug/kg	15
1,2,3-Trichloropropane	ND	25	ug/kg	15
n-Propylbenzene	ND	25	ug/kg	10
2-Chlorotoluene	ND	25	ug/kg	10
4-Chlorotoluene	ND	25	ug/kg	10
1,3,5-Trimethylbenzene	ND	25	ug/kg	10
tert-Butylbenzene	ND	25	ug/kg	10
1,2,4-Trimethylbenzene	ND	25	ug/kg	10
sec-Butylbenzene	ND	25	ug/kg	10
1,3-Dichlorobenzene	ND	25	ug/kg	10
1,4-Dichlorobenzene	ND	25	ug/kg	10
1,2-Dichlorobenzene	ND	25	ug/kg	10
n-Butylbenzene	ND	25	ug/kg	10
1,2-Dibromo-3-chloro- propane	ND	50	ug/kg	15
1,2,4-Trichloro- benzene	ND	25	ug/kg	10
Hexachlorobutadiene	ND	25	ug/kg	10
1,2,3-Trichlorobenzene	ND	25	ug/kg	10
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	93		(70 - 130)	
1,2-Dichloroethane-d4	122		(60 - 140)	
Toluene-d8	88		(70 - 130)	

NOTE(S) :

J Estimated result. Result is less than RL.

000057

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-60'

GC/MS Volatiles

Lot-Sample #....: E1B060243-024 Work Order #....: DVNAJ1AA Matrix.....: SOLID
 Date Sampled....: 02/06/01 11:05 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 23:59
 Dilution Factor: 5
 Analyst ID.....: 999998 Instrument ID...: MSD
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	50	ug/kg	5.0
Chloromethane	ND	50	ug/kg	15
Vinyl chloride	ND	50	ug/kg	10
Bromomethane	ND	50	ug/kg	10
Chloroethane	ND	50	ug/kg	10
Trichlorofluoromethane	ND	50	ug/kg	10
Acrolein	ND	500	ug/kg	150
1,1-Dichloroethene	100	25	ug/kg	10
Iodomethane	ND	50	ug/kg	25
Acetone	ND	120	ug/kg	75
Carbon disulfide	ND	25	ug/kg	10
Methylene chloride	ND	25	ug/kg	15
trans-1,2-Dichloroethene	ND	25	ug/kg	10
Acrylonitrile	ND	250	ug/kg	150
Methyl tert-butyl ether	ND	25	ug/kg	5.0
1,1-Dichloroethane	36	25	ug/kg	5.0
Vinyl acetate	ND	50	ug/kg	25
2,2-Dichloropropane	ND	25	ug/kg	10
cis-1,2-Dichloroethene	19 J	25	ug/kg	10
2-Butanone	ND	120	ug/kg	75
Bromochloromethane	ND	25	ug/kg	5.0
Chloroform	5.1 J	25	ug/kg	5.0
Tetrahydrofuran	ND	100	ug/kg	50
1,1,1-Trichloroethane	89	25	ug/kg	5.0
1,1-Dichloropropene	ND	25	ug/kg	5.0
Carbon tetrachloride	ND	25	ug/kg	5.0
Benzene	14 J	25	ug/kg	10
1,2-Dichloroethane	ND	25	ug/kg	5.0
Trichloroethene	84	25	ug/kg	10
1,2-Dichloropropane	ND	25	ug/kg	5.0
Bromodichloromethane	ND	25	ug/kg	5.0
2-Chloroethyl vinyl ether	ND	50	ug/kg	25
cis-1,3-Dichloropropene	ND	25	ug/kg	5.0
4-Methyl-2-pentanone	5000	120	ug/kg	50
Toluene	1600	25	ug/kg	10
trans-1,3-Dichloropropene	ND	25	ug/kg	15
1,1,2-Trichloroethane	ND	25	ug/kg	15

(Continued on next page)

000058

KENNEDY/JENKS CONSULTANTS

Client Sample ID: PD22-60'

GC/MS Volatiles

Lot-Sample #....: E1B060243-024 Work Order #....: DVNAJ1AA Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
Tetrachloroethene	ND	25	ug/kg	10
2-Hexanone	ND	120	ug/kg	50
Dibromochloromethane	ND	25	ug/kg	25
1,2-Dibromoethane	ND	25	ug/kg	15
Chlorobenzene	ND	25	ug/kg	10
Ethylbenzene	ND	25	ug/kg	10
Xylenes (total)	ND	25	ug/kg	15
Styrene	ND	50	ug/kg	10
Bromoform	ND	25	ug/kg	15
Isopropylbenzene	ND	25	ug/kg	10
p-Isopropyltoluene	ND	25	ug/kg	10
Bromobenzene	ND	25	ug/kg	10
1,1,1,2-Tetrachloroethane	ND	25	ug/kg	15
1,1,2,2-Tetrachloroethane	ND	25	ug/kg	15
1,2,3-Trichloropropane	ND	25	ug/kg	15
n-Propylbenzene	ND	25	ug/kg	10
2-Chlorotoluene	ND	25	ug/kg	10
4-Chlorotoluene	ND	25	ug/kg	10
1,3,5-Trimethylbenzene	ND	25	ug/kg	10
tert-Butylbenzene	ND	25	ug/kg	10
1,2,4-Trimethylbenzene	ND	25	ug/kg	10
sec-Butylbenzene	ND	25	ug/kg	10
1,3-Dichlorobenzene	ND	25	ug/kg	10
1,4-Dichlorobenzene	ND	25	ug/kg	10
1,2-Dichlorobenzene	ND	25	ug/kg	10
n-Butylbenzene	ND	25	ug/kg	10
1,2-Dibromo-3-chloro-				
propane	ND	50	ug/kg	15
1,2,4-Trichloro-				
benzene	ND	25	ug/kg	10
Hexachlorobutadiene	ND	25	ug/kg	10
1,2,3-Trichlorobenzene	ND	25	ug/kg	10
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene		90	(70 - 130)	
1,2-Dichloroethane-d4		116	(60 - 140)	
Toluene-d8		85	(70 - 130)	

NOTE(S) :

J Estimated result. Result is less than RL.

000059

KENNEDY/JENKS CONSULTANTS

Client Sample ID: TRIP BLANK

GC/MS Volatiles

Lot-Sample #....: E1B060243-025 Work Order #....: DVNAK1AA Matrix.....: WATER
 Date Sampled....: 02/06/01 12:00 Date Received...: 02/06/01 14:55 MS Run #.....: 1038254
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1038524 Analysis Time...: 11:34
 Dilution Factor: 1
 Analyst ID.....: 015590 Instrument ID...: MSC
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	ND	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Carbon tetrachloride	ND	0.50	ug/L	0.30
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.30
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Bromodichloromethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.20
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.20
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro- propane	ND	2.0	ug/L	0.60
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Iodomethane	ND	2.0	ug/L	1.0
1,2-Dichlorobenzene	ND	1.0	ug/L	0.20
1,3-Dichlorobenzene	ND	1.0	ug/L	0.20
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.20
Vinyl chloride	ND	0.50	ug/L	0.30
2,2-Dichloropropane	ND	1.0	ug/L	0.30
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30

(Continued on next page)

000060

KENNEDY/JENKS CONSULTANTS

Client Sample ID: TRIP BLANK

GC/MS Volatiles

Lot-Sample #....: E1B060243-025 Work Order #....: DVNAK1AA Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
2-Hexanone	ND	5.0	ug/L	2.0
Isopropylbenzene	ND	1.0	ug/L	0.20
p-Isopropyltoluene	ND	1.0	ug/L	0.20
Methylene chloride	ND	1.0	ug/L	0.20
4-Methyl-2-pentanone	ND	5.0	ug/L	2.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.30
Tetrachloroethene	ND	1.0	ug/L	0.70
Toluene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro- benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	ND	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.20
1,2,3-Trichloropropane	ND	1.0	ug/L	0.30
1,1,2-Trichlorotrifluoro- ethane	ND	1.0	ug/L	0.20
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.20
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.50
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	1.0
Tetrahydrofuran	ND	10	ug/L	2.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>		
		(75 - 120)		
Bromofluorobenzene	92	(65 - 130)		
1,2-Dichloroethane-d4	101	(80 - 130)		
Toluene-d8	93			

000061

KENNEDY/JENKS CONSULTANTS

Client Sample ID: RINSATE

GC/MS Volatiles

Lot-Sample #....: E1B060243-026 Work Order #....: DVNAL1AA Matrix.....: WATER
 Date Sampled....: 02/06/01 12:00 Date Received...: 02/06/01 14:55 MS Run #.....: 1038254
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1038524 Analysis Time...: 12:05
 Dilution Factor: 1
 Analyst ID.....: 015590 Instrument ID...: MSC
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	ND	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Carbon tetrachloride	ND	0.50	ug/L	0.30
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.30
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Bromodichloromethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.20
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.20
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro- propane	ND	2.0	ug/L	0.60
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Iodomethane	ND	2.0	ug/L	1.0
1,2-Dichlorobenzene	ND	1.0	ug/L	0.20
1,3-Dichlorobenzene	ND	1.0	ug/L	0.20
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.20
Vinyl chloride	ND	0.50	ug/L	0.30
2,2-Dichloropropane	ND	1.0	ug/L	0.30
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30

(Continued on next page)

000062

KENNEDY/JENKS CONSULTANTS

Client Sample ID: RINSATE

GC/MS Volatiles

Lot-Sample #....: E1B060243-026 Work Order #....: DVNAL1AA Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
2-Hexanone	ND	5.0	ug/L	2.0
Isopropylbenzene	ND	1.0	ug/L	0.20
p-Isopropyltoluene	ND	1.0	ug/L	0.20
Methylene chloride	ND	1.0	ug/L	0.20
4-Methyl-2-pentanone	ND	5.0	ug/L	2.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.30
Tetrachloroethene	ND	1.0	ug/L	0.70
Toluene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro- benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	ND	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.20
1,2,3-Trichloropropane	ND	1.0	ug/L	0.30
1,1,2-Trichlorotrifluoro- ethane	ND	1.0	ug/L	0.20
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.20
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.50
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	1.0
Tetrahydrofuran	ND	10	ug/L	2.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0
<u>SURROGATE</u>		<u>PERCENT</u>	RECOVERY	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene		95	(75 - 120)	
1,2-Dichloroethane-d4		109	(65 - 130)	
Toluene-d8		96	(80 - 130)	

000063

KENNEDY/JENKS CONSULTANTS

TRIP BLANK

GC/MS Volatiles

Lot-Sample #: E1B060243-025 Work Order #: DVNAK1AA Matrix: WATER

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

<u>PARAMETER</u>	<u>CAS #</u>	<u>ESTIMATED RESULT</u>	<u>RETENTION TIME</u>	<u>UNITS</u>
None				ug/L

000064

KENNEDY/JENKS CONSULTANTS

RINSATE

GC/MS Volatiles

Lot-Sample #: E1B060243-026 Work Order #: DVNAL1AA Matrix: WATER

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

<u>PARAMETER</u>	<u>CAS #</u>	<u>ESTIMATED RESULT</u>	<u>RETENTION TIME</u>	<u>UNITS</u>
None				ug/L

000065

BOE-C6-0153352

QC DATA ASSOCIATION SUMMARY

E1B060243

Sample Preparation and Analysis Control Numbers

<u>SAMPLE#</u>	<u>MATRIX</u>	<u>ANALYTICAL METHOD</u>	<u>LEACH BATCH #</u>	<u>PREP BATCH #</u>	<u>MS RUN#</u>
001	SOLID	SW846 8260B		1039215	1039091
002	SOLID	SW846 8260B		1039215	1039091
003	SOLID	SW846 8260B		1040366	1040178
004	SOLID	SW846 8260B		1040366	1040178
005	SOLID	SW846 8260B		1040366	1040178
006	SOLID	SW846 8260B		1040366	1040178
007	SOLID	SW846 8260B		1040366	1040178
008	SOLID	SW846 8260B		1039215	1039091
009	SOLID	SW846 8260B		1040366	1040178
010	SOLID	SW846 8260B		1040366	1040178
011	SOLID	SW846 8260B		1040366	1040178
012	SOLID	SW846 8260B		1040366	1040178
013	SOLID	SW846 8260B		1040366	1040178
014	SOLID	SW846 8260B		1040366	1040178
015	SOLID	SW846 8260B		1040366	1040178
016	SOLID	SW846 8260B		1040366	1040178
017	SOLID	SW846 8260B		1043304	1043142
018	SOLID	SW846 8260B		1043304	1043142
019	SOLID	SW846 8260B		1043304	1043142
020	SOLID	SW846 8260B		1043304	1043142
021	SOLID	SW846 8260B		1043304	1043142

(Continued on next page)

000066

QC DATA ASSOCIATION SUMMARY

E1B060243

Sample Preparation and Analysis Control Numbers

<u>SAMPLE#</u>	<u>MATRIX</u>	<u>ANALYTICAL METHOD</u>	<u>LEACH BATCH #</u>	<u>PREP BATCH #</u>	<u>MS RUN#</u>
022	SOLID	SW846 8260B		1043304	1043142
023	SOLID	SW846 8260B		1043304	1043142
024	SOLID	SW846 8260B		1043304	1043142
025	WATER	SW846 8260B		1038524	1038254
026	WATER	SW846 8260B		1038524	1038254

000067

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243
MB Lot-Sample #: E1B070000-524
Analysis Date..: 02/07/01
Dilution Factor: 1

Work Order #....: DVRHA1AA
Prep Date.....: 02/07/01
Prep Batch #....: 1038524
Analyst ID.....: 015590

Matrix.....: WATER
Analysis Time..: 11:03
Instrument ID..: MSC

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	METHOD
Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromobenzene	ND	1.0	ug/L	SW846 8260B
Bromochloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Dichlorodifluoromethane	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B
Iodomethane	ND	2.0	ug/L	SW846 8260B
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	0.50	ug/L	SW846 8260B
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B

(Continued on next page)

000068

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243

Work Order #....: DVRHA1AA

Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>
Methylene chloride	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,2,4-Trichloro- benzene	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichlorotrifluoro- ethane	ND	1.0	ug/L	SW846 8260B
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	1.0	ug/L	SW846 8260B
Acrolein	ND	20	ug/L	SW846 8260B
Acrylonitrile	ND	20	ug/L	SW846 8260B
Vinyl acetate	ND	5.0	ug/L	SW846 8260B
Tetrahydrofuran	ND	10	ug/L	SW846 8260B
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>		
Bromofluorobenzene	91	(75 - 120)		
1,2-Dichloroethane-d4	92	(65 - 130)		
Toluene-d8	98	(80 - 130)		

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

000069

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243
MB Lot-Sample #: E1B080000-215
Analysis Date..: 02/07/01
Dilution Factor: 1

Work Order #....: DVR2F1AA
Prep Date.....: 02/07/01
Prep Batch #....: 1039215
Analyst ID.....: 999998

Matrix.....: SOLID
Analysis Time...: 09:32
Instrument ID..: MSD

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
2-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

000070

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243

Work Order #....: DVR2F1AA

Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		<u>METHOD</u>
		<u>LIMIT</u>	<u>UNITS</u>	
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	RECOVERY		<u>LIMITS</u>
Bromofluorobenzene	94	(70 - 130)		
1,2-Dichloroethane-d4	97	(60 - 140)		
Toluene-d8	88	(70 - 130)		

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

000071

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243
 MB Lot-Sample #: E1B090000-366

Analysis Date...: 02/08/01
 Dilution Factor: 1

Work Order #....: DVWWX1AA

Matrix.....: SOLID

Prep Date.....: 02/08/01
 Prep Batch #: 1040366

Analysis Time..: 08:41
 Instrument ID.: MSD

Analyst ID.....: 999998

PARAMETER	REPORTING			
	RESULT	LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
1-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

000072

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243

Work Order #....: DVWWX1AA

Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		<u>METHOD</u>
		<u>LIMIT</u>	<u>UNITS</u>	
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
<u>SURROGATE</u>		<u>PERCENT</u>	<u>RECOVERY</u>	
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	99	(70 - 130)		
1,2-Dichloroethane-d4	93	(60 - 140)		
Toluene-d8	95	(70 - 130)		

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

000073

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243
 MB Lot-Sample #: E1B120000-304
 Analysis Date...: 02/09/01
 Dilution Factor: 1

Work Order #....: DV04F1AA

Matrix.....: SOLID

Prep Date.....: 02/09/01
 Prep Batch #: 1043304

Analysis Time..: 19:22
 Instrument ID.: MSD

Analyst ID.....: 999998

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
?-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

000074

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: E1B060243

Work Order #....: DV04F1AA

Matrix.....: SOLID

<u>PARAMETER</u>	<u>RESULT</u>	REPORTING		
		<u>LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
<u>SURROGATE</u>	<u>PERCENT</u>	RECOVERY		
		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	89	(70 - 130)		
1,2-Dichloroethane-d4	96	(60 - 140)		
Toluene-d8	88	(70 - 130)		

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

000075

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVRHA1AC Matrix.....: WATER
 LCS Lot-Sample#: E1B070000-524
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1038524 Analysis Time...: 09:51
 Dilution Factor: 1 Instrument ID...: MSC
 Analyst ID.....: 015590

<u>PARAMETER</u>	SPIKE <u>AMOUNT</u>	MEASURED <u>AMOUNT</u>	UNITS	PERCENT <u>RECOVERY</u>	METHOD
Benzene	10.0	9.20	ug/L	92	SW846 8260B
1,1-Dichloroethene	10.0	9.39	ug/L	94	SW846 8260B
Chlorobenzene	10.0	9.52	ug/L	95	SW846 8260B
Toluene	10.0	9.34	ug/L	93	SW846 8260B
Trichloroethene	10.0	9.76	ug/L	98	SW846 8260B

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
Bromofluorobenzene	98	(75 - 120)
1,2-Dichloroethane-d4	99	(65 - 130)
Toluene-d8	101	(80 - 130)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000076

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVR2F1AC Matrix.....: SOLID
 LCS Lot-Sample#: E1B080000-215
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 09:01
 Dilution Factor: 1 Instrument ID...: MSD
 Analyst ID.....: 999998

<u>PARAMETER</u>	SPIKE <u>AMOUNT</u>	MEASURED <u>AMOUNT</u>	UNITS	PERCENT <u>RECOVERY</u>	METHOD
1,1-Dichloroethene	50.0	51.0	ug/kg	102	SW846 8260B
Benzene	50.0	50.0	ug/kg	100	SW846 8260B
Trichloroethene	50.0	44.3	ug/kg	89	SW846 8260B
Toluene	50.0	49.5	ug/kg	99	SW846 8260B
Chlorobenzene	50.0	48.8	ug/kg	98	SW846 8260B

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
Bromofluorobenzene	96	(70 - 130)
1,2-Dichloroethane-d4	105	(60 - 140)
Toluene-d8	93	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000077

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVWWX1AC Matrix.....: SOLID
 LCS Lot-Sample#: E1B090000-366
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 08:10
 Dilution Factor: 1 Instrument ID...: MSD
 Analyst ID.....: 999998

<u>PARAMETER</u>	SPIKE <u>AMOUNT</u>	MEASURED <u>AMOUNT</u>	UNITS	PERCENT <u>RECOVERY</u>	METHOD
1,1-Dichloroethene	50.0	48.6	ug/kg	97	SW846 8260B
Benzene	50.0	49.3	ug/kg	99	SW846 8260B
Trichloroethene	50.0	44.8	ug/kg	90	SW846 8260B
Toluene	50.0	48.9	ug/kg	98	SW846 8260B
Chlorobenzene	50.0	48.2	ug/kg	96	SW846 8260B

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
Bromofluorobenzene	92	(70 - 130)
1,2-Dichloroethane-d4	96	(60 - 140)
Toluene-d8	90	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000078

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DV04F1AC Matrix.....: SOLID
 LCS Lot-Sample#: E1B120000-304
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 18:51
 Dilution Factor: 1 Instrument ID...: MSD
 Analyst ID.....: 999998

<u>PARAMETER</u>	SPIKE <u>AMOUNT</u>	MEASURED <u>AMOUNT</u>	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	50.0	57.0	ug/kg	114	SW846 8260B
Benzene	50.0	55.1	ug/kg	110	SW846 8260B
Trichloroethene	50.0	50.4	ug/kg	101	SW846 8260B
Toluene	50.0	51.3	ug/kg	103	SW846 8260B
Chlorobenzene	50.0	51.0	ug/kg	102	SW846 8260B

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
Bromofluorobenzene	92	(70 - 130)
1,2-Dichloroethane-d4	104	(60 - 140)
Toluene-d8	91	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000079

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVRHA1AC Matrix.....: WATER
 LCS Lot-Sample#: E1B070000-524
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1038524 Analysis Time..: 09:51
 Dilution Factor: 1 Instrument ID...: MSC
 Analyst ID.....: 015590

<u>PARAMETER</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>	<u>METHOD</u>
Benzene	92	(75 - 120)	SW846 8260B
1,1-Dichloroethene	94	(70 - 130)	SW846 8260B
Chlorobenzene	95	(80 - 120)	SW846 8260B
Toluene	93	(80 - 120)	SW846 8260B
Trichloroethene	98	(75 - 130)	SW846 8260B

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
Bromofluorobenzene	98	(75 - 120)
1,2-Dichloroethane-d4	99	(65 - 130)
Toluene-d8	101	(80 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000080

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVR2F1AC Matrix.....: SOLID
 LCS Lot-Sample#: E1B080000-215
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 09:01
 Dilution Factor: 1 Instrument ID...: MSD
 Analyst ID.....: 999998

<u>PARAMETER</u>	<u>PERCENT</u>	<u>RECOVERY</u>	<u>METHOD</u>
	<u>RECOVERY</u>	<u>LIMITS</u>	
1,1-Dichloroethene	102	(60 - 150)	SW846 8260B
Benzene	100	(70 - 140)	SW846 8260B
Trichloroethene	89	(70 - 130)	SW846 8260B
Toluene	99	(70 - 130)	SW846 8260B
Chlorobenzene	98	(70 - 130)	SW846 8260B

<u>SURROGATE</u>	<u>PERCENT</u>	<u>RECOVERY</u>
	<u>RECOVERY</u>	<u>LIMITS</u>
Bromofluorobenzene	96	(70 - 130)
1,2-Dichloroethane-d4	105	(60 - 140)
Toluene-d8	93	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000081

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 **Work Order #....:** DVWWX1AC **Matrix.....:** SOLID
LCS Lot-Sample#: E1B090000-366
Prep Date.....: 02/08/01 **Analysis Date...:** 02/08/01
Prep Batch #....: 1040366 **Analysis Time..:** 08:10
Dilution Factor: 1 **Instrument ID...:** MSD
Analyst ID.....: 999998

<u>PARAMETER</u>	<u>PERCENT</u>	<u>RECOVERY</u>	<u>METHOD</u>
<u>RECOVERY</u>	<u>LIMITS</u>		
1,1-Dichloroethene	97	(60 - 150)	SW846 8260B
Benzene	99	(70 - 140)	SW846 8260B
Trichloroethene	90	(70 - 130)	SW846 8260B
Toluene	98	(70 - 130)	SW846 8260B
Chlorobenzene	96	(70 - 130)	SW846 8260B

<u>SURROGATE</u>	<u>PERCENT</u>	<u>RECOVERY</u>
<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	92	(70 - 130)
1,2-Dichloroethane-d4	96	(60 - 140)
Toluene-d8	90	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000082

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DV04F1AC Matrix.....: SOLID
 LCS Lot-Sample#: E1B120000-304
 Prep Date.....: 02/09/01 Analysis Date...: 02/09/01
 Prep Batch #....: 1043304 Analysis Time...: 18:51
 Dilution Factor: 1 Instrument ID...: MSD
 Analyst ID.....: 999998

<u>PARAMETER</u>	<u>PERCENT</u>	<u>RECOVERY</u>	<u>METHOD</u>
<u>RECOVERY</u>	<u>LIMITS</u>		
1,1-Dichloroethene	114	(60 - 150)	SW846 8260B
Benzene	110	(70 - 140)	SW846 8260B
Trichloroethene	101	(70 - 130)	SW846 8260B
Toluene	103	(70 - 130)	SW846 8260B
Chlorobenzene	102	(70 - 130)	SW846 8260B

<u>SURROGATE</u>	<u>PERCENT</u>	<u>RECOVERY</u>
<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	92	(70 - 130)
1,2-Dichloroethane-d4	104	(60 - 140)
Toluene-d8	91	(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000083

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVK001AC-MS Matrix.....: SOLID
 MS Lot-Sample #: E1B050137-001 DVK001AD-MSD
 Date Sampled...: 02/05/01 10:35 Date Received...: 02/05/01 10:50 MS Run #.....: 1039091
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1039215 Analysis Time...: 13:38
 Dilution Factor: 1 Analyst ID.....: 999998 Instrument ID.: MSD

PARAMETER	SAMPLE	SPIKE	MEASRD	PERCENT			
	AMOUNT	AMT	AMOUNT	UNITS	RECOVERY	RPD	METHOD
1,1-Dichloroethene	ND	50.0	45.0	ug/kg	90		SW846 8260B
	ND	50.0	45.0	ug/kg	90	0.08	SW846 8260B
Benzene	ND	50.0	46.2	ug/kg	92		SW846 8260B
	ND	50.0	47.1	ug/kg	94	1.9	SW846 8260B
Trichloroethene	ND	50.0	42.5	ug/kg	85		SW846 8260B
	ND	50.0	42.2	ug/kg	84	0.73	SW846 8260B
Toluene	ND	50.0	45.9	ug/kg	92		SW846 8260B
	ND	50.0	45.1	ug/kg	90	1.8	SW846 8260B
Chlorobenzene	ND	50.0	43.9	ug/kg	88		SW846 8260B
	ND	50.0	42.7	ug/kg	85	2.7	SW846 8260B

SURROGATE	PERCENT		LIMITS
	RECOVERY	RECOVERY	
Bromofluorobenzene	100		(70 - 130)
	108		(70 - 130)
1,2-Dichloroethane-d4	91		(60 - 140)
	102		(60 - 140)
Toluene-d8	93		(70 - 130)
	99		(70 - 130)

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000084

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVM821AC-MS Matrix.....: SOLID
 MS Lot-Sample #: E1B060243-003 DVM821AD-MSD
 Date Sampled...: 02/06/01 08:00 Date Received...: 02/06/01 14:55 MS Run #.....: 1040178
 Prep Date.....: 02/08/01 Analysis Date...: 02/08/01
 Prep Batch #....: 1040366 Analysis Time...: 12:16
 Dilution Factor: 1 Analyst ID.....: 999998 Instrument ID.: MSD

PARAMETER	SAMPLE	SPIKE	MEASRD	PERCENT			METHOD
	AMOUNT	AMT	AMOUNT	UNITS	RECOVERY	RPD	
1,1-Dichloroethene	ND	50.0	49.5	ug/kg	99		SW846 8260B
	ND	50.0	50.0	ug/kg	100	1.0	SW846 8260B
Benzene	ND	50.0	48.6	ug/kg	97		SW846 8260B
	ND	50.0	48.7	ug/kg	97	0.04	SW846 8260B
Trichloroethene	ND	50.0	46.7	ug/kg	93		SW846 8260B
	ND	50.0	45.9	ug/kg	92	1.8	SW846 8260B
Toluene	ND	50.0	47.6	ug/kg	95		SW846 8260B
	ND	50.0	45.9	ug/kg	92	3.6	SW846 8260B
Chlorobenzene	ND	50.0	46.5	ug/kg	93		SW846 8260B
	ND	50.0	45.8	ug/kg	92	1.5	SW846 8260B

<u>SURROGATE</u>	PERCENT		LIMITS
	RECOVERY	RECOVERY	
Bromofluorobenzene	88		(70 - 130)
	89		(70 - 130)
1,2-Dichloroethane-d4	110		(60 - 140)
	106		(60 - 140)
Toluene-d8	89		(70 - 130)
	87		(70 - 130)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000085

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVNAC1AC-MS Matrix.....: SOLID
 MS Lot-Sample #: E1B060243-018 DVNAC1AD-MSD
 Date Sampled...: 02/06/01 10:25 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/10/01 Analysis Date...: 02/10/01
 Prep Batch #....: 1043304 Analysis Time...: 00:30
 Dilution Factor: 1 Analyst ID.....: 999998 Instrument ID.: MSD

PARAMETER	SAMPLE	SPIKE	MEASRD	PERCENT			
	AMOUNT	AMT	AMOUNT	UNITS	RECOVERY	RPD	METHOD
1,1-Dichloroethene	8.3	50.0	109	ug/kg	201		SW846 8260B
			Qualifiers: a, MSC				
	8.3	50.0	96.8	ug/kg	177	12	SW846 8260B
			Qualifiers: a, MSC				
Benzene	ND	50.0	52.9	ug/kg	106		SW846 8260B
	ND	50.0	53.4	ug/kg	107	1.0	SW846 8260B
Trichloroethene	9.8	50.0	100	ug/kg	181		SW846 8260B
			Qualifiers: a, MSC				
	9.8	50.0	83.2	ug/kg	147	19	SW846 8260B
			Qualifiers: a, MSC				
Toluene	ND	50.0	48.9	ug/kg	98		SW846 8260B
	ND	50.0	48.1	ug/kg	96	1.7	SW846 8260B
Chlorobenzene	ND	50.0	49.0	ug/kg	98		SW846 8260B
	ND	50.0	49.4	ug/kg	99	0.85	SW846 8260B
<hr/>							
<hr/>							
<u>SURROGATE</u>	PERCENT			RECOVERY			
	<u>RECOVERY</u>			<u>LIMITS</u>			
Bromofluorobenzene	87			(70 - 130)			
	89			(70 - 130)			
1,2-Dichloroethane-d4	117			(60 - 140)			
	117			(60 - 140)			
Toluene-d8	88			(70 - 130)			
	91			(70 - 130)			

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

MSC The percent recovery of this analyte in the associated laboratory control sample is within control limits.

000086

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVNEL1AF-MS Matrix.....: WATER
 MS Lot-Sample #: E1B060251-008 DVNEL1AG-MSD
 Date Sampled...: 02/06/01 16:00 Date Received...: 02/06/01 17:00 MS Run #.....: 1038254
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #:....: 1038524 Analysis Time...: 18:56
 Dilution Factor: 1 Analyst ID.....: 015590 Instrument ID.: MSC

PARAMETER	SAMPLE	SPIKE	MEASRD	PERCENT			METHOD
	AMOUNT	AMT	AMOUNT	UNITS	RECOVERY	RPD	
Benzene	ND	10.0	10.3	ug/L	103		SW846 8260B
	ND	10.0	9.65	ug/L	96	6.4	SW846 8260B
1,1-Dichloroethene	ND	10.0	10.5	ug/L	105		SW846 8260B
	ND	10.0	9.42	ug/L	94	10	SW846 8260B
Chlorobenzene	ND	10.0	10.5	ug/L	105		SW846 8260B
	ND	10.0	9.72	ug/L	97	7.3	SW846 8260B
Toluene	ND	10.0	10.2	ug/L	102		SW846 8260B
	ND	10.0	9.42	ug/L	94	8.1	SW846 8260B
Trichloroethene	ND	10.0	10.8	ug/L	108		SW846 8260B
	ND	10.0	10.1	ug/L	101	6.5	SW846 8260B

SURROGATE	PERCENT		LIMITS
	RECOVERY	RECOVERY	
Bromofluorobenzene	101		(75 - 120)
	104		(75 - 120)
1,2-Dichloroethane-d4	112		(65 - 130)
	118		(65 - 130)
Toluene-d8	101		(80 - 130)
	103		(80 - 130)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000087

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 **Work Order #....:** DVK001AC-MS **Matrix.....:** SOLID
MS Lot-Sample #: E1B050137-001 DVK001AD-MSD
Date Sampled....: 02/05/01 10:35 **Date Received...:** 02/05/01 10:50 **MS Run #.....:** 1039091
Prep Date.....: 02/07/01 **Analysis Date...:** 02/07/01
Prep Batch #....: 1039215 **Analysis Time...:** 13:38
Dilution Factor: 1 **Analyst ID.....:** 999998 **Instrument ID..:** MSD

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>RPD</u>	<u>LIMITS</u>	<u>METHOD</u>	
1,1-Dichloroethene	90	(60 - 150)	0.08	(0-30)	SW846 8260B	
	90	(60 - 150)			SW846 8260B	
Benzene	92	(70 - 140)	1.9	(0-30)	SW846 8260B	
	94	(70 - 140)			SW846 8260B	
Trichloroethene	85	(70 - 130)	0.73	(0-30)	SW846 8260B	
	84	(70 - 130)			SW846 8260B	
Toluene	92	(70 - 130)	1.8	(0-30)	SW846 8260B	
	90	(70 - 130)			SW846 8260B	
Chlorobenzene	88	(70 - 130)	2.7	(0-30)	SW846 8260B	
	85	(70 - 130)			SW846 8260B	
<hr/>						
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>				
Bromofluorobenzene	100	(70 - 130)				
	108	(70 - 130)				
1,2-Dichloroethane-d4	91	(60 - 140)				
	102	(60 - 140)				
Toluene-d8	93	(70 - 130)				
	99	(70 - 130)				

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000088

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 **Work Order #....:** DVM821AC-MS **Matrix.....:** SOLID
MS Lot-Sample #: E1B060243-003 **DVM821AD-MSD**
Date Sampled...: 02/06/01 08:00 **Date Received...:** 02/06/01 14:55 **MS Run #.....:** 1040178
Prep Date.....: 02/08/01 **Analysis Date...:** 02/08/01
Prep Batch #....: 1040366 **Analysis Time...:** 12:16
Dilution Factor: 1 **Analyst ID.....:** 999998 **Instrument ID...:** MSD

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>RPD</u>	<u>LIMITS</u>	<u>METHOD</u>
1,1-Dichloroethene	99	(60 - 150)			SW846 8260B
	100	(60 - 150)	1.0	(0-30)	SW846 8260B
Benzene	97	(70 - 140)			SW846 8260B
	97	(70 - 140)	0.04	(0-30)	SW846 8260B
Trichloroethene	93	(70 - 130)			SW846 8260B
	92	(70 - 130)	1.8	(0-30)	SW846 8260B
Toluene	95	(70 - 130)			SW846 8260B
	92	(70 - 130)	3.6	(0-30)	SW846 8260B
Chlorobenzene	93	(70 - 130)			SW846 8260B
	92	(70 - 130)	1.5	(0-30)	SW846 8260B
<hr/>					
<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>			
Bromofluorobenzene	88	(70 - 130)			
	89	(70 - 130)			
1,2-Dichloroethane-d4	110	(60 - 140)			
	106	(60 - 140)			
Toluene-d8	89	(70 - 130)			
	87	(70 - 130)			

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000089

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVNAC1AC-MS Matrix.....: SOLID
 MS Lot-Sample #: E1B060243-018 DVNAC1AD-MSD
 Date Sampled....: 02/06/01 10:25 Date Received...: 02/06/01 14:55 MS Run #.....: 1043142
 Prep Date.....: 02/10/01 Analysis Date...: 02/10/01
 Prep Batch #....: 1043304 Analysis Time...: 00:30
 Dilution Factor: 1 Analyst ID.....: 999998 Instrument ID.: MSD

<u>PARAMETER</u>	<u>PERCENT</u>	<u>RECOVERY</u>	<u>RPD</u>	<u>RECOVERY</u>	<u>LIMITS</u>	<u>METHOD</u>
1,1-Dichloroethene	201 a, MSC	(60 - 150)				SW846 8260B
	177 a, MSC	(60 - 150)	12	(0-30)		SW846 8260B
Benzene	106	(70 - 140)				SW846 8260B
	107	(70 - 140)	1.0	(0-30)		SW846 8260B
Trichloroethene	181 a, MSC	(70 - 130)				SW846 8260B
	147 a, MSC	(70 - 130)	19	(0-30)		SW846 8260B
Toluene	98	(70 - 130)				SW846 8260B
	96	(70 - 130)	1.7	(0-30)		SW846 8260B
Chlorobenzene	98	(70 - 130)				SW846 8260B
	99	(70 - 130)	0.85	(0-30)		SW846 8260B
<u>SURROGATE</u>	<u>PERCENT</u>	<u>RECOVERY</u>		<u>RECOVERY</u>	<u>LIMITS</u>	
Bromofluorobenzene	87			(70 - 130)		
	89			(70 - 130)		
1,2-Dichloroethane-d4	117			(60 - 140)		
	117			(60 - 140)		
Toluene-d8	88			(70 - 130)		
	91			(70 - 130)		

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

MSC The percent recovery of this analyte in the associated laboratory control sample is within control limits.

000090

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E1B060243 Work Order #....: DVNEL1AF-MS Matrix.....: WATER
 MS Lot-Sample #: E1B060251-008 DVNEL1AG-MSD
 Date Sampled....: 02/06/01 16:00 Date Received...: 02/06/01 17:00 MS Run #.....: 1038254
 Prep Date.....: 02/07/01 Analysis Date...: 02/07/01
 Prep Batch #....: 1038524 Analysis Time...: 18:56
 Dilution Factor: 1 Analyst ID.....: 015590 Instrument ID...: MSC

<u>PARAMETER</u>	<u>PERCENT</u>	<u>RECOVERY</u>	<u>RPD</u>	<u>RPD</u>	<u>METHOD</u>
	<u>RECOVERY</u>	<u>LIMITS</u>		<u>LIMITS</u>	
Benzene	103	(75 - 120)			SW846 8260B
	96	(75 - 120)	6.4	(0-25)	SW846 8260B
1,1-Dichloroethene	105	(70 - 130)			SW846 8260B
	94	(70 - 130)	10	(0-25)	SW846 8260B
Chlorobenzene	105	(80 - 120)			SW846 8260B
	97	(80 - 120)	7.3	(0-25)	SW846 8260B
Toluene	102	(80 - 120)			SW846 8260B
	94	(80 - 120)	8.1	(0-25)	SW846 8260B
Trichloroethene	108	(75 - 130)			SW846 8260B
	101	(75 - 130)	6.5	(0-25)	SW846 8260B
<u>SURROGATE</u>	<u>PERCENT</u>	<u>RECOVERY</u>		<u>RECOVERY</u>	
	<u>RECOVERY</u>	<u>LIMITS</u>		<u>LIMITS</u>	
Bromofluorobenzene	101	(75 - 120)			
	104	(75 - 120)			
1,2-Dichloroethane-d4	112	(65 - 130)			
	118	(65 - 130)			
Toluene-d8	101	(80 - 130)			
	103	(80 - 130)			

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

000091